WHAT WE CLAIM:

- An osteogenic device comprising the following components:
 - (a) a bone morphogenetic protein BMP selected from a group consisting of partially purified native BMP, recombinant BMP and modified BMP complex;
 - (b) a collagen component;
 - (c) a shapable porous carrier body;
 - (d) optional growth factors.
- 2. The device of claim 1, wherein the bone morphogenetic protein is a modified BMP complex from which Fraction II a medium MW protein with immunogenic properties is removed, said BMP complex consisting essentially of a mixture of Fraction I, a high MW (100-700 kD) protein with osteoinductive BMP activity, and a low MW (15-20 kD) protein with osteoinductive BMP activity.
- 3. The device of claim 1, wherein the bone morphogenetic protein is Fraction III a low MW (15-25 kD) protein with osteoinductive BMP activity with prolonged storage properties.
- 4. The device of claim 1, wherein the morphogenetic protein is obtainable by a method comprising the steps of
- (a) pulverizing demineralized bone material;
- (b) extracting the bone material in step (a) with guanidinium hydrochloride (GuHCl);
- (c) performing at least one gel filtration with HPCL-reversed chromatography.
- 5. The device of claim 1, wherein the collagen is selected from a group consisting of collagen mixtures,

nichter betrechten

÷ ; ..

atelopeptide collagens, Type IV collagen and Type I collagen I.

- 6. The device of claim 1, wherein the collagen component is Type IV collagen.
- 7. The device of claim 1, wherein the shapable, porous carrier body is selected from a group comprising hydroxyapatite, tricalcium phosphate, bioactive glass and biocoral originating from a coral skeleton.
- 8. The device of claim 1, wherein the shapable, porous carrier body is a biocoral selected from a coral skeleton.
- 9. An osteogenic device comprising the following components:
 - (a) a modified BMP; complex consisting essentially of a mixture of Fraction I, a high MW (100-700 kD) protein with osteoinductive BMP activity, and a low MW (15-25 kD) protein with osteoinductive BMP activity being essentially free from Fraction II, a medium MW (25-55 kD) immunogenically and inflammatory active protein;
 - (b) collagen IV; and
 - (c) a biocoral carrier.
- 10. A method for preparing an osteogenic device comprising the steps of:
- (a) incubating collagen with dissolved a BMP complex;
- (b) impregnating the bioceramic body by immersing it in the mixture from step (a);
- (c) performing a dialysis of the BMP-collagen shapable porous

body;

- (d) separating the body and the solution used for dialysis;
- (e) adsorbing BMP impregnated collagen containing precipitate from the solution of step (d) on the BMP-collagen shapable, porous body.
- 11. The method of claim 10, wherein the bone morphogenetic protein complex comprises a mixture of a high MW (100 -700 kD) protein with osteoinductive BMP activity and a low MW (15-25 kD) protein with osteoinductive BMP activity.
- 12. The method of claim 10, wherein the modified BMP complex is obtainable by a method comprising the steps of claim 4.
- 13. The method of claim 10, wherein the collagen is selected from a group consisting of a collagen mixture, Type IV collagen and Type I collagen.
- 14. The method of claim 10, wherein the shapable, porous carrier body is selected from a group consisting of hydroxyapatite, tricalcium phosphate, bioactive glass and biocorals originating from coral skeleton.
- 15. The use of the component of the osteogenic device defined in claim 2 in the preparation of an osteogenic device with improved osteoinductive properties.